

IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 • (909) 472-4100 Fax (909) 472-4244 • www.iapmo.org



LISTED PRODUCTS

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Effective Date: July 2007 Void After: July 2008

Product: Siphonic Roof Drains File No. 5305

Issued To: Tyler Pipe Company
Wade Division
P O Box 2027
Tyler, TX 75710-2027

IDENTIFICATION: Each siphonic roof drain shall be permanently marked at the dome, bodies, and baffle plates with the manufacturers name or trademark. The baffle plate and drain body shall also be marked with the baffle plate model number, resistance value, K, and the words, "REPLACE MISSING BAFFLE WITH MODEL___." The marking shall be located at a location visible after installation. The product shall also bear the UPC® certification mark.

CHARACTERISTICS: The roof drains in this listing are designed, manufactured, and installed in piping systems that are intended to operate under depressurized siphonic conditions created by the connected piping system. To be installed in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code.

Products comply with the applicable sections of the latest edition of the Uniform Plumbing Code®. Manufactured in compliance with ASME A112.6.9-2005.


Chairman, Product Certification Committee


Executive Director

This listing is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Reproduction of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing.

DOC#081A



IAPMO RESEARCH AND TESTING, INC. LISTED PRODUCTS

Page 2

Effective Date: July 2007

Void After: July 2008

Product: Siphonic Roof Drains

File No. 5305

Issued To: Tyler Pipe Company

MODELS:

WH-300

WH-400

WH-500

WH-600

Sponsor of the Uniform Plumbing Code®, Uniform Mechanical Code®,
Uniform Swimming Pool, Spa and Hot Tub Code®,
and Uniform Solar Energy Code®